



LaserPerformance NORTH AMERICA

300 Highpoint Avenue
Portsmouth, Rhode Island 02871
USA
t +1 800 966 SAIL
f +1 401 683 0990

LaserPerformance EUROPE

Station Works, Long Buckby
Northamptonshire NN6 7PF
United Kingdom
t +44 (0) 1327 841600
f +44 (0) 1327 841601

LaserPerformance ASIA

Room 3415
China Merchants Tower
Shun Tak Centre
No. 168-200 Connaught Road Central
Hong Kong
t +852 2902 2818
f +852 2587 7868

LaserPerformance MIDDLE EAST

po Box 18323
Jebel Ali Free Zone
Dubai, UAE
t +9714 881 7190
f +9714 881 7522

LASERPERFORMANCE.COM


All rights reserved. ©2009 LaserPerformance.
LaserPerformance and associated logos are
trademarks. Laser, SB3, Sunfish, and Dart are
trademarks used under license. LaserPerformance
reserves the right to make design and/or specifica-
tion changes to any of their products as part of
their continuous development program.

Vanguard 15 Parts Locator

LaserPerformance™




Vanguard 15 Hull & Deck Hardware






Vanguard 15 Spars and Hardware






Vanguard 15 Spars and Hardware





Vanguard 15 Blades





Vanguard 15 Technical Information

| | | |
|----------------|----------|----------|
| Hull Weight | 190 lbs | 82.2 kg |
| LOA | 15.2 ft | 4.6 m |
| Beam | 5.6 ft | 1.7 m |
| Draft | 3.2 ft | 1.0 m |
| Main Sail Area | 78 sq ft | 7.2 m sq |
| Jib Sail Area | 49 sq ft | 4.6 m sq |

Vanguard 15 Line Specifications

| <u>Description</u> | <u>Diameter (in)</u> | <u>Diameter (mm)</u> | <u>Type</u> | <u>Length</u> | <u>Quantity</u> |
|-------------------------------|------------------------|----------------------|------------------|---------------|-----------------|
| Main Halyard | 1/4 in | 6mm | prestretch | 41 ft | 1 |
| Cunningham | 3/16 in | 5mm | prestretch | 4 ft | 1 |
| Jib Adjuster (older boats) | 3/16 in | 5mm | prestretch | 10 ft | 1 |
| Forestay Tensioner | 5/32 in | 4mm | prestretch | 4 ft | 1 |
| Daggerboard Retainer | 3/16 in | 5mm | shockcord | 5 ft | 1 |
| Outhaul | 3/16 in | 5mm | prestretch | 11 ft | 1 |
| Hiking strap tie down - shor | 3/16 in | 5mm | prestretch | 2 ft | 4 |
| Hiking strap tie down - long | 3/16 in | 5mm | prestretch | 3 ft | 4 |
| Hiking strap keeper - short | 3/16 in | 5mm | prestretch | 2 ft | 2 |
| Hiking strap keeper - long | 3/16 in | 5mm | prestretch | 3 ft | 3 |
| Vang | 3/16 in | 5mm | prestretch | 14 ft | 1 |
| Mainsheet - Split tail splice | 5/16 in to 1/8 in tail | 8mm to 3mm tail | braid to spectra | 25 ft | 1 |
| Jibsheet | 5/16 in | 8mm | braid on braid | 25 ft | 1 |